

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6753	((370/216) or (370/217) or (370/218) or (370/392) or (370/394) or (370/389)).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/06 14:21
L2	1	(failover) and ((flood\$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L3	26	((flood\$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L4	102	((flood\$3) adj ((protocol) or (algorithm)))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L5	76	L4 not L3	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L6	8866	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L7	8840	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm)) not ((flood\$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L8	8764	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm)) not ((flood\$3) adj (((protocol) or (algorithm))))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L9	361	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm)) not ((flood\$3) adj (((protocol) or (algorithm)))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L10	23	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm)) not ((flood\$3) adj (((protocol) or (algorithm)))) and ((configuration) adj (file)) and L1	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L11	982	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm)) and L1	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L12	76	((flood\$3) adj ((protocol) or (algorithm))) not ((flood\$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L13	247	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm)) and L1 and ((restor\$7) or (failover) or ((fault) adj (tolerant)))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L14	1	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm)) and L1 and ((restor\$7) or (failover) or ((fault) adj (tolerant))) and (((configuration) adj (file)) near2 (load\$3))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21

L15	11	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and L1 and ((restor\$7) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L16	13	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and L1 and ((restor\$7) or (restart) or (reload) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L17	6753	((370/216) or (370/217) or (370/218) or (370/392) or (370/394) or (370/389)).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/06 14:21
L18	102	((flood\$3) adj ((protocol) or (algorithm)))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L19	8866	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm)))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L20	8840	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) not ((flood\$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L21	8764	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) not ((flood\$3) adj (((protocol) or (algorithm))))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L22	982	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and L17	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L23	1	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and L17 and ((restor\$7) or (failover) or ((fault) adj (tolerant))) and (((configuration) adj (file)) near2 (load\$3))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L24	1	(failover) and ((flood\$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L25	26	((flood\$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L26	76	L18 not L25	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L27	23	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) not ((flood\$3) adj (((protocol) or (algorithm)))) and ((configuration) adj (file)) and L17	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L28	76	((flood\$3) adj ((protocol) or (algorithm))) not ((flood\$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21

L29	11	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and L17 and ((restor\$7) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L30	13	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and L17 and ((restor\$7) or (restart) or (reload) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L31	247	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and L17 and ((restor\$7) or (failover) or ((fault) adj (tolerant)))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
L32	361	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) not ((flood\$3) adj ((protocol) or (algorithm))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:21
S1	5512	((370/216) or (370/217) or (370/218) or (370/392) or (370/394) or (370/389)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/18 11:20
S2	1	(failover) and ((flood\$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/04/18 11:21
S3	21	((flood\$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:30
S4	77	((flood\$3) adj ((protocol) or (algorithm)))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:44
S5	56	S4 not S3	US-PGPUB; USPAT	OR	ON	2005/04/18 12:30
S6	56	((flood\$3) adj ((protocol) or (algorithm))) not ((flood\$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:49
S7	7435	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm)))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:48
S8	7414	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) not ((flood\$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:45
S9	7358	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) not ((flood\$3) adj ((protocol) or (algorithm)))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:46
S10	302	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) not ((flood\$3) adj ((protocol) or (algorithm))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:46

S11	19	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) not ((flood\$3) adj ((protocol) or (algorithm))) and ((configuration) adj (file)) and S1	US-PGPUB; USPAT	OR	ON	2005/04/18 12:47
S12	787	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and S1	US-PGPUB; USPAT	OR	ON	2005/04/18 12:48
S13	199	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and S1 and ((restor\$7) or (failover) or ((fault) adj (tolerant)))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:53
S14	0	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and S1 and ((restor\$7) or (failover) or ((fault) adj (tolerant))) and (((configuration) adj (file)) near2 (load\$3))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:54
S15	7	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and S1 and ((restor\$7) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2005/04/18 13:02
S16	9	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and S1 and ((restor\$7) or (restart) or (reload) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2005/04/18 13:02
S17	6495	((370/216) or (370/217) or (370/218) or (370/392) or (370/394) or (370/389)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/12/10 03:18
S18	1	(failover) and ((flood\$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/12/10 03:18
S19	26	((flood\$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/12/10 03:18
S20	102	((flood\$3) adj ((protocol) or (algorithm)))	US-PGPUB; USPAT	OR	ON	2005/12/10 03:18
S21	76	S20 not S19	US-PGPUB; USPAT	OR	ON	2005/12/10 03:18
S22	8620	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm)))	US-PGPUB; USPAT	OR	ON	2005/12/10 03:18
S23	8594	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) not ((flood\$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/12/10 03:18
S24	8518	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) not ((flood\$3) adj ((protocol) or (algorithm)))	US-PGPUB; USPAT	OR	ON	2005/12/10 03:18

S25	351	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) not ((flood\$3) adj ((protocol) or (algorithm))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2005/12/10 03:18
S26	22	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) not ((flood\$3) adj ((protocol) or (algorithm))) and ((configuration) adj (file)) and S17	US-PGPUB; USPAT	OR	ON	2005/12/10 03:18
S27	945	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and S17	US-PGPUB; USPAT	OR	ON	2005/12/10 03:18
S28	76	((flood\$3) adj ((protocol) or (algorithm))) not ((flood\$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/12/10 03:18
S29	238	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and S17 and ((restor\$7) or (failover) or ((fault) adj (tolerant)))	US-PGPUB; USPAT	OR	ON	2005/12/10 03:18
S30	0	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and S17 and ((restor\$7) or (failover) or ((fault) adj (tolerant))) and (((configuration) adj (file)) near2 (load\$3))	US-PGPUB; USPAT	OR	ON	2005/12/10 03:18
S31	10	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and S17 and ((restor\$7) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2005/12/10 03:18
S32	12	((flood\$3) or (rout\$3)) adj ((protocol) or (algorithm))) and S17 and ((restor\$7) or (restart) or (reload) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2005/12/10 03:18

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((failover) AND (packet\$1) AND (rout\$3) AND ((flooding) adj (protocol)) AND ((intermediate) adj (node)) AND ((sequence) adj (number\$1)) AND ((record) or (table)) AND ((highest) near3 ((sequence) or (number))) AND (forward\$3) AND ((neighbor\$3) adj (node\$1)))	US-PGPUB; USPAT	OR	ON	2006/02/06 14:40
L2	1	((failover) AND (packet\$1) AND (rout\$3) AND ((flooding) adj (protocol)) AND ((intermediate) adj (node)) AND ((sequence) adj (number\$1)) AND ((record) or (table)) AND ((highest) near3 ((sequence) or (number))) AND (forward\$3) AND ((neighbor\$3) adj (node\$1)))".clm"	US-PGPUB; USPAT	OR	ON	2006/02/06 14:40